

**KPZ 1NC Pallet scale | | Stainless steel DIN 1.4301/AISI304, IP65**

C series means: complete with Indicator, battery, output RS 232C | | retail aproval, included the price



**Extreme solid and stable U-Form Pallet scale series KPZ 1N, IP 67. German design and own EU production guarantees high quality.** Designed as floor scales, for industrial weighing. High accuracy. Maintenance-free durable Stainless steel (DIN 1.4301) construction. High quality polishing standard for easy cleaning.

**Construction:** Robust, welded stainless steel Profil construction, heavy duty design for industrial use. Material DIN 1.4301. High level of polishing for easy cleaning. **Load cells:** Robust, stainless steel, IP68, OIML C 3, with a high overload capacity, **Levelling feet.** **Installation:** 5m cable between Platform and indicator. **Power Supply :** 230 V mains, Power cord. **Certification:** OIML class III , CE conform. **Indicator:** KPZ 52(E)162.**IP65**


**KPZ price includes : complete scale with indicator, built-in rechargeable battery and RS 232, 2SCME also the Factory first Certification.**

Typ KPZ	Capacity kg	Div. g	Dim. mm	Indicator IP65	€/pcs Scale	Art.-No. Scale	Certific. possible	€/pcs Certific.	Art.-No. Certification
1NCEM	600/1500	200/500	840x1260	52162	1770,00	1NCM00000150E	YES	included	X
1NCE	600	200	840x1260	52E162	1770,00	1NC000000060E	YES	included	X
1NCE	1500	500	840x1260	52162	1770,00	1NC000000150E	YES	included	X
1NCE	2000	1000	840x1260	52E162	1770,00	1NC000000200E	YES	included	X
1NCEM	1500/2000	500/1000	840x1260	52162	1710,00	1NCM000002000	No	X	X
1NCE	3000	1000	840x1260	52E162	1860,00	1NC000000300E	YES	included	X
1NCM	1500/3000	500/1000	840x1260	52162	1800,00	1NCM000003000	No	X	X

**Other dimensions and capacities are also available**

Options / accessories / extra charge	€/pcs	Art.-No.
Delivery without Indicator KPZ 52E-16-2	-50,00	12C52E162OH
Rechargeable battery version KPZ 51(2)-16-2	included	X
Indicator Stand for KPZ 52E-16-2, Stainles steel	95,00	1N0200000000
Wall mounting for KPZ 51(2)-16-1	included	X
Serial interface RS232C k KPZ 51(2)-16-1	included	X
Set (4pcs) Base plate for fixing Loadcells stainless steel	135,00	01052N100000
Connector in cable between Plattfform and Indicator also	50,00	52E910001100
WiFi Datatransfer	425,00	120005000000
KPZ PC Software	On Request	X
KPZ Printer	On Request	X
USB, 8MB internal Memory	670,00	X

**KPZ price includes complete scale and indicator.**



**... please contact us for special requests!**



**Stainless steel Material : DIN 1.4301 / 1.4541 / 1.4404 / IP 65 - IP 69K**



**KPZ 1N Pallet scales | | Stainless steel DIN 1.4301/AISI304, IP67**  
**Extrem solid Pallet scales for industrial use**



IP 69 K



Option  
**KPZ 52E16-2 P 65**

**Extreme solid and stable U-Form Pallet scale series KPZ 1N, IP 67. German design and own EU production guarantees high quality.** Designed as floor scales, for industrial weighing. High accuracy. Maintenance-free durable Stainless steel (DIN 1.4301) construction. High quality polishing standard for easy cleaning.  
**Construction:** Robust, welded stainless steel Profil construction, heavy duty design for industrial use. Material DIN 1.4301. High level of polishing for easy cleaning. **Load cells:** Robust, stainless steel, IP68, OIML C 3, with a high overload capacity, **Levelling feet.** **Installation:** 5m cable between Platform and indicator. **Power Supply :** 230 V mains, Power cord. **Certification:** OIML class III , CE conform. **Indicator:** KPZ 52E162. **IP65**

Typ KPZ	Capacity kg	Div. g	Dim. mm	Indicator IP67	€/pcs Scale	Art.-No. Scale	Certific. possible	€/pcs Certific.	Art.-No. Certification
1NEM	600/1500	200/500	840x1260	52E91	1835,00	1NM000000150E	YES	135,00	300PLM03000
1NE	600	200	840x1260	52E91	1835,00	1N0000000060E	YES	95,00	300PL003000
1NE	1500	500	840x1260	52E91	1835,00	1N0000000150E	YES	95,00	300PL003000
1NE	2000	1000	840x1260	52E91	1835,00	1N0000000200E	YES	95,00	300PL003000
1NEM	1500/2000	500/1000	840x1260	52E91	1775,00	1NM0000002000	No	x	X
1NE	3000	1000	840x1260	52E91	1925,00	1N0000000300E	YES	95,00	300PL003000
1NM	1500/3000	500/1000	840x1260	52E91	1865,00	1NM0000003000	No	x	X

Other dimensions and capacities are also available

Options / accessories / extra charge	€/pcs	Art.-No.
Delivery without Indicator KPZ 52E91 <b>REDUCED PRICE</b>	On Request	12N52E91OHNE
<b>Indicator KPZ 52(E)162(IP65) instead of KPZ 52E91(IP67)</b>	-20,00	12N52E16200
Rechargeable battery version KPZ 52E91	included	X
Indicator Stand for KPZ 52E91 stainless Steel	80,00	1N0200000000
Wall mounting for KPZ 52E91	included	X
Serial interface RS232C k KPZ 52E91	15,00	1252E9000100
Foot locator, Set (4pcs), stainless steel	135,00	01052N100000
WiFi Datatransfer	425,00	120005000000
Connector in cable between Plattform and Indicator also	50,00	52E910001100
USB, 8MB internet Speicher	670,00	X
KPZ Software	On Request	X
KPZ Drucker	On Request	X

**KPZ price includes complete scale and indicator.**

Low plate and ramp 	Low plate with holders and ramp, 	Additional top plate 	Extended load-arms 	Grip, tilt and drive off 	Drive under and leave 
------------------------	--------------------------------------	--------------------------	------------------------	------------------------------	---------------------------

... please contact us for special requests!



**KPZ-Waagen Stainless steel scale Program** |   |

German design and own EU production guarantees high quality.

Also possible Material : DIN 1.4541 (AISI304) / 1.4404 / **IP 65 - IP 69K**

 <p><b>KPZ 1N/ IP67</b></p>	 <p><b>KPZ 717 N IP67</b></p>	 <p><b>KPZ 2DNC2 IP 65+67</b></p>	
 <p><b>KPZ 2N / IP67</b> Option: Frame Galvanized Plate Stainless</p>	 <p><b>KPZ 2N / Hygienic design (option)</b></p>	 <p>Customized design</p>	
 <p><b>KPZ 2DN / IP67</b></p>	 <p><b>KPZ 2DN / IP67</b></p>	 <p><b>KPZ 1N Beam Scale IP 67</b></p>	
 <p><b>KPZ 2E06N</b> <b>IP67 + IP 69K</b></p>	 <p>Roller conveyor</p>	 <p><b>KPZ 2E-07-2N M</b></p>	 <p><b>KPZ 2NL</b></p>

... please contact us for special requests!

**Hygienic design, Hermetically sealed profile,  
Opening construction for easy cleaning, - Gas pressure spring.**

