

## KPZ 2SCM / Platform scale

**Solid floor scales up to 3.000 kg for industrial use**

Multirange: 0 kg to 1.500 kg, Div.: 500 g | 1.500 to 3.000 kg, Div.: 1.0kg

**Weights & measures | powder coating | good value for money | solid**



**Solid and stable platform scales series KPZ 2SC. Ge man design and own EU production guarantees high quality.** Designed as floor scales, for industrial weighing. High accuracy.

Maintenance-free durable steel construction. Black powder paint coated. **Load cells:** 4 high quality, OIML approved C 3, DMS load cell, IP 68, type KPZ 502E-2/3. **Certification:** approved for retail use and NON approved Version, CE - conform. **Multirange:** 0 kg to 1.500 kg, Div.: 500 g | 1.500 to 3.000 kg, Div.: 1.0kg. **Indicator :** KPZ 52(E)16-1 included the Price, with 5m Cable between Platform and Indicator. **KPZ 51(E)-16-1** indicator, build in robust ABS housing , 6-digit 25 mm high backlite LCD display with status symbols, large using keys, separate ON switch. **Wallmounting. Basic function:** zero setting, tare (multitare possible) minus indication, switching net/gross, Over menu **adjustable:** Set point or limit value control. **LED display:** zero setting, tare, stability, battery charging status, LOW- Bat indication. **Power supply:** rechargeable battery, adapter 230 VAC (incl.the price). **Connection:** serial interface RS232, **included. Certification :** EU type approval class III, CE conform.

**KPZ price includes : complete scale with indicator, built-in rechargeable battery and RS 232, KPZ price includes : by the KPZ 2SCME also the Factory first Certification.**

**KPZ price includes : complete scale with indicator, built-in rechargeable battery and RS 232, KPZ price includes : by the KPZ 2SCME also the Factory first Certification.**

Typ	Cap. kg	Div. g	Indicator	Approval possible	Dim. mm	€/pcs	Art.-No.
KPZ 2 SCM	1500/3000	500/1000	without		1000 x 1000	305	2SCM101030OH
KPZ 2 SCM	1500/3000	500/1000	KPZ 52 16-1	No		350	2SCM10103000
KPZ 2 SCME	1500/3000	500/1000	KPZ 52E16-1	YES		380	2SCM1010300E
KPZ 2 SCM	1500/3000	500/1000	without		1000 x 1250	325	2SCM121530OH
KPZ 2 SCM	1500/3000	500/1000	KPZ 52 16-1	No		375	2SCM12153000
KPZ 2 SCME	1500/3000	500/1000	KPZ 52E16-1	YES		410	2SCM1215300E
KPZ 2 SCM	1500/3000	500/1000	without		1250 x 1250	340	2SCM121230OH
KPZ 2 SCM	1500/3000	500/1000	KPZ 52 16-1	No		385	2SCM12123000
KPZ 2 SCME	1500/3000	500/1000	KPZ 52E16-1	YES		415	2SCM1212300E
KPZ 2 SCM	1500/3000	500/1000	without		1250 x 1500	390	2SCM121530OH
KPZ 2 SCM	1500/3000	500/1000	KPZ 52 16-1	No		435	2SCM12153000
KPZ 2 SCME	1500/3000	500/1000	KPZ 52E16-1	YES		470	2SCM1215300E
KPZ 2 SCM	1500/3000	500/1000	without		1500x 1500	415	2SCM151530OH
KPZ 2 SCM	1500/3000	500/1000	KPZ 52 16-1	No		460	2SCM15153000
KPZ 2 SCME	1500/3000	500/1000	KPZ 52E16-1	YES		490	2SCM1515300E

**Minimum quantity 5 pcs by one shipment.**

**.....pls contact us for special request !**

**German design and own EU production guarantees high quality.**




## KPZ 2S / Platform scale

**Robust floor scale up to 20.000 kg for industrial use**

**Better quality: We use only EU approved components !!!**

**Maintenance free  
Long service life  
Robust  
Inexpensive  
Mobile**



KPZ quality construction e.g.:  
KPZ 2S : 1250x1500 mm

**For continuous operation**

OPTION



ATEX konform

### Options:

For beams	Pull up possibility	Hinged platform	Safety Frame for KPZ 2,
Forklift fork shoes	Elevated frame	Pit frame for <b>KPZ 2</b> ,	Ramp for KPZ 2

Solid and stable platform scales series KPZ 2S. **German design and own EU production guarantees high quality.** Designed as floor scales, industrial weighing. High accuracy. Maintenance-free durable steel construction. Powder paint coated.

**Platform scale KPZ 2**, high quality industrial platform, long service life, solid and stable steel construction black powder painted, structured plate. **Load cells:** High quality load cells DMS type KPZ 502E-3, IP67, OIML C3.

**Indicator:** KPZ 52E-8 (possibility to deliver without indicator), 16ft cable, sheltered at way out of scale in case of mechanical damage. **Certification:** EC approval possibility class III, Declaration of Conformity.

**Construction:** steel, welded frame made of profile with diagonal reinforcement and solid structured plate, black powder painted (option: galvanized or stainless construction). Indicator connection cable: length 16ft. Special flat construction is suitable for ground placing. With regard to solid DMS load cells there are no wearing out parts.























































**Weighing system:** 4 high quality DMS load cells KPZ 502E-3, IP67, EC approval possibility class III.

**Approvals:** OIML class III , CE conform. **Power Supply :** 230 V mains, Power cord

**... please contact us for special requests!**

**Weighing range from 0 up to 20.000 kg**


**Weights & measures | powder coating | good value for money | solid**

Typ	Capacity kg	Division g	Dim. mm	Approval possible	Indicator	€/pcs	Art.-Nr
KPZ 2JE	300 kg	100 g	800 x 800 x 95	YES  	52E8	475	2SJ00808030E
KPZ 2JM	150/300	50/100	800 x 800 x 95	No	5218	405	2SJM08080300
KPZ 2JE	600 kg	200 g	800 x 800 x 95	YES  	52E8	475	2SJ00808060E
KPZ 2J	300/600	100/200	800 x 800 x 95	No	5218	405	2SJM08080600
KPZ 2JME	600/1200	200/500	800 x 800 x 95	YES  	52E8	475	2SJM0808120E
KPZ 2JM	600/1200	200/500	800 x 800 x 95	No	5218	405	2SJM08081200
KPZ 2JE	1500 kg	500 g	800 x 800 x 95	YES  	52E8	475	2SJ00808150E
KPZ 2J	1500 kg	500 g	800 x 800 x 95	No	5218	405	2SJ008081500
KPZ 2JE	2000 kg	1000 g	800 x 800 x 95	YES  	52E8	475	2SJ00808200E
KPZ 2J	2000 kg	1000 g	800 x 800 x 95	No	5218	405	2SJ008082000
KPZ 2JM	1000/2000	200/500	800 x 800 x 95	No	5218	405	2SJM08082000
KPZ 2JME	1500/3000	500/1000	800 x 800 x 95	YES  	52E8	475	2SJM0808300E
KPZ 2JM	1500/3000	500/1000	800 x 800 x 95	No	5218	405	2SJM08083000
KPZ 2JE	300 kg	100 g	1000 x 1000 x 95	YES  	52E8	500	2SJ01010030E
KPZ 2JM	150/300	50/100	1000 x 1000 x 95	No	5218	425	2SJM10100300
KPZ 2JE	600 kg	200 g	1000 x 1000 x 95	YES  	52E8	500	2SJ01010060E
KPZ 2J	300/600	100/200	1000 x 1000 x 95	No	5218	425	2SJ010100600
KPZ 2JME	600/1200	200/500	1000 x 1000 x 95	YES  	52E8	500	2SJM1010120E
KPZ 2JM	600/1200	200/500	1000 x 1000 x 95	No	5218	425	2SJM10101200
KPZ 2JE	1500 kg	500 g	1000 x 1000 x 95	YES  	52E8	500	2SJ01010150E
KPZ 2J	1500 kg	500 g	1000 x 1000 x 95	No	5218	425	2SJ010101500
KPZ 2JE	2000 kg	1000 g	1000 x 1000 x 95	YES  	52E8	500	2SJ01010200E
KPZ 2J	2000 kg	1000 g	1000 x 1000 x 95	No	5218	425	2SJ010102000
KPZ 2JM	1000/2000	200/500	1000 x 1000 x 95	No	5218	425	2SJM10102000
KPZ 2JME	1500/3000	500/1000	1000 x 1000 x 95	YES  	52E8	500	2SJM1010300E
KPZ 2JM	1500/3000	500/1000	1000 x 1000 x 95	No	5218	425	2SJM10103000
KPZ 2JE	600kg	200 g	1250 x 830 x 95	YES  	52E8	505	2SJ01208060E
KPZ 2J	600kg	200 g	1250 x 830 x 95	No	5218	440	2SJ012080600
KPZ 2JME	600/1200	200/500	1250 x 830 x 95	YES  	52E8	505	2SJM1208120E
KPZ 2JM	600/1200	200/500	1250 x 830 x 95	No	5218	440	2SJM12081200
KPZ 2JE	1500 kg	500 g	1250 x 830 x 95	YES  	52E8	505	2SJ01208150E
KPZ 2J	1500 kg	500 g	1250 x 830 x 95	No	5218	440	2SJ012081500
KPZ 2JE	2000 kg	1000 g	1250 x 830 x 95	YES  	52E8	505	2SJ01208200E
KPZ 2J	2000 kg	1000 g	1250 x 830 x 95	No	5218	440	2SJ012082000
KPZ 2JM	1000/2000	200/500	1250 x 830 x 95	No	5218	440	2SJM12082000
KPZ 2JME	1500/3000	500/1000	1250 x 830 x 95	YES  	52E8	505	2SJM1208300E
KPZ 2JM	1500/3000	500/1000	1250 x 830 x 95	No	5218	440	2SJM12083000
KPZ 2JE	600kg	200 g	1250 x 1000 x 95	YES  	52E8	530	2SJ01210060E
KPZ 2J	600kg	200 g	1250 x 1000 x 95	No	5218	455	2SJ012100600
KPZ 2JME	600/1200	200/500	1250 x 1000 x 95	YES  	52E8	530	2SJM1210120E
KPZ 2JM	600/1200	200/500	1250 x 1000 x 95	No	5218	455	2SJM12101200
KPZ 2JE	1500 kg	500 g	1250 x 1000 x 95	YES  	52E8	530	2SJ01210150E
KPZ 2J	1500 kg	500 g	1250 x 1000 x 95	No	5218	455	2SJ012101500
KPZ 2JE	2000 kg	1000 g	1250 x 1000 x 95	YES  	52E8	530	2SJ01210200E
KPZ 2J	2000 kg	1000 g	1250 x 1000 x 95	No	5218	455	2SJ012102000
KPZ 2JM	1000/2000	200/500	1250 x 1000 x 95	No	5218	455	2SJM12102000
KPZ 2JME	1500/3000	500/1000	1250 x 1000 x 95	YES  	52E8	530	2SJM1210300E
KPZ 2JME	1500/3000	500/1000	1250 x 1000 x 95	No	5218	455	2SJM12103000
KPZ 2JE	600 kg	200 g	1250 x 1250 x 95	YES  	52E8	570	2SJ01212060E
KPZ 2J	600 kg	200 g	1250 x 1250 x 95	No	5218	500	2SJ012120600
KPZ 2JME	600/1200	200/500	1250 x 1250 x 95	YES  	52E8	570	2SJM1212120E
KPZ 2JM	600/1200	200/50	1250 x 1250 x 95	No	5218	500	2SJM12121200
KPZ 2JE	1500 kg	500 g	1250 x 1250 x 95	YES  	52E8	570	2SJ01212150E
KPZ 2J	1500 kg	500 g	1250 x 1250 x 95	No	5218	500	2SJ012121500
KPZ 2JE	2000 kg	1000 g	1250 x 1250 x 95	YES  	52E8	570	2S001212200E
KPZ 2JE	2000 kg	1000 g	1250 x 1250 x 95	No	5218	500	2SJ012122000
KPZ 2JM	1000/2000	200/500	1250 x 1250 x 95	No	5218	500	2SJM12122000
KPZ 2JME	1500/3000	500/1000	1250 x 1250 x 95	YES  	52E8	570	2SJM1212300E
KPZ 2JME	1500/3000	500/1000	1250 x 1250 x 95	No	5218	500	2SJM12123000

... please contact us for special requests!

Ausführung	Kapazität kg	Teilung g	Abm. /mm	Eichf.	Anzeige	€/pcs	Artikel-Nr
KPZ 2JE	600 kg	200 g	1250 x 1500	YES	52E8	600	2SJ01215060E
KPZ 2J	600 kg	200 g	1250 x 1500	No	5218	530	2SJ012150600
KPZ 2JME	600/1200	200/500	1250 x 1500	YES	52E8	600	2SJM1215120E
KPZ 2JM	600/1200	200/500	1250 x 1500	No	5218	530	2SJM12151200
KPZ 2JE	1500 kg	500 g	1250 x 1500	YES	52E8	600	2SJ01215150E
KPZ 2J	1500 kg	500 g	1250 x 1500	No	5218	530	2SJ012151500
KPZ 2JE	2000 kg	1000 g	1250 x 1500	YES	52E8	600	2SJ01215200E
KPZ 2J	2000 kg	1000 g	1250 x 1500	No	5218	530	2SJ012152000
KPZ 2JM	1000/2000	200/500	1250 x 1500	No	5218	530	2SJM12152000
KPZ 2JME	1500/3000	500/1000	1250 x 1500	YES	52E8	615	2SJM1215300E
KPZ 2JM	1500/3000	500/1000	1250 x 1500	No	5218	545	2SJM12153000
KPZ 2E	1500 kg	500 g	1500 x1500	YES	52E8	635	2S001515150E
KPZ 2	1500 kg	500 g	1500 x1500	No	5218	570	2S0015151500
KPZ 2E	2000 kg	1000 g	1500 x1500	YES	52E8	635	2S001515200E
KPZ 2	2000 kg	1000 g	1500 x1500	No	5218	570	2S0015152000
KPZ 2M	1000/2000	200/500 g	1500 x1500	No	5218	570	2SM015152000
KPZ 2ME	1500/3000	500/1000	1500 x1500	YES	52E8	670	2SM01515300E
KPZ 2M	1500/3000	500/1000	1500 x1500	No	5218	605	2SM015153000
KPZ 2	3000kg	1000g	1500 x1500	No	52E8	605	2S0015153000
KPZ 2	6000kg	2000g	1500 x1500	No	5218	875	2S0015156000
KPZ 2E	6000 kg	2000 g	1500 x1500	YES	52E8	960	2S001515600E
KPZ 2E	1500 kg	500 g	1500 x 2000	YES	52E8	1005	2S001515150E
KPZ 2	1500 kg	500 g	1500 x 2000	No	5218	925	2S0015151500
KPZ 2E	2000 kg	1000 g	1500 x 2000	YES	52E8	1005	2S001515200E
KPZ 2	2000 kg	1000 g	1500 x 2000	No	5218	925	2S0015152000
KPZ 2M	1000/2000	200/500	1500 x 2000	YES	52E8	925	2SM015152000
KPZ 2ME	1500/3000	500/1000	1500 x 2000	No	5218	1005	2SM01515300E
KPZ 2M	1500/3000	500/1000	1500 x 2000	No	5218	1005	2SM015153000
KPZ 2	3000kg	1000g	1500 x 2000	YES	52E8	925	2S0015153000
KPZ 2	6000kg	2000g	1500 x 2000	No	5218	1140	2S0015156000
KPZ 2E	6000 kg	2000 g	1500 x 2000	YES	52E8	1220	2S001515600E
KPZ 2JE	1500 kg	500 g	2000 x 2000	YES	52E8	1200	2S002020150E
KPZ 2J	1500 kg	500 g	2000 x 2000	No	5218	1130	2S0020201500
KPZ 2JE	2000 kg	1000 g	2000 x 2000	YES	52E8	1200	2S002020200E
KPZ 2J	2000 kg	1000 g	2000 x 2000	No	5218	1130	2S0020202000
KPZ 2JME	3000 kg	1000 g	2000 x 2000	No	5218	1130	2S0020203000
KPZ 2JM	1500/3000	500/1000	2000 x 2000	YES	52E8	1200	2SM02020300E
KPZ 2M	1500/3000	500/1000	2000 x 2000	No	5218	1130	2SM020203000
KPZ 2	6000 kg	2000 g	2000 x 2000	No	5218	1360	2S0020206000
KPZ 2E	6000 kg	2000 g	2000 x 2000	YES	52E8	1435	2S002020600E

**KPZ price includes complete scale with indicator.**



Pit frame for KPZ 2	A	B	C	D	H	€/pcs	Article No.
800 x 800 do 3000kg	920	820	920	820	120	170	25S008083000
830 x 1250 do 3000kg	1370	1270	950	850	120	175	25S008123000
1000 x 1000 do 3000kg	1120	1020	1120	1020	120	175	25S010103000
1000 x 1250 do 3000kg	1370	1270	1120	1020	120	175	25S010123000
1250 x 1250 do 3000kg	1370	1270	1370	1270	120	185	25S012123000
1250 x 1500 do 3000kg	1620	1520	1370	1270	120	205	25S012153000
1500 x 1500 do 3000kg	1620	1520	1620	1520	120	225	25S015153000
1500 x 1500, 6000kg	1620	1520	1620	1520	175	240	25S015156000
1500 x 2000 do 3000kg	2120	2020	1620	1520	150	245	25S015203000
1500 x 2000, 6000kg	2120	2020	1620	1520	175	260	25S015206000
2000 x 2000 do 3000kg	2120	2020	2120	2020	150	275	25S020203000
2000 x 2000 6000kg	2120	2020	2120	2020	175	290	25S020206000

Výřez 1 na náčresu = Odnímatelný kryt otvoru pro průchod kabelu. Minimální velikost prostoru pro zapuštění = A+160mm x C+160mm


**German design and own EU production guarantees high quality.**

**Special models are our speciality!**

**Weights & measures | powder coating | good value for money| solid**

**4** KPZ-Váhy s.r.o. • Libošovice76 • CZ507 44 Libošovice • GSM:00420736622710 • Email: [zander@kpzwaagen.de](mailto:zander@kpzwaagen.de) • [www.kpzwaagen.com](http://www.kpzwaagen.com)

We reserve the right to make technical modifications and price changes without prior notification. Warranty: The parts and components are warranted for **two years** from the date of delivery against defects in materials and workmanship, provided proper and normal use condition, excluding batteries and chargers.

**Ramp for KPZ 2**


Ramp for KPZ 2	A	B	€/pcs	Article No.
KPZ 2 800 x 800 mm do 3000kg	800	800	155	21S008083000
KPZ 2 830 x 1250 mm do 3000kg	830	800	155	21S008093000
KPZ 2 1000 x 1000 mm do 3000kg	1000	800	170	21S008103000
KPZ 2 1000 x 1250 mm do 3000kg	1000	800	170	21S008103000
KPZ 2 1250 x 1250 mm do 3000kg	1250	800	180	21S008123000
KPZ 2 1250 x 1500 mm do 3000kg	1250	800	180	21S008123000
KPZ 2 1500 x 1500 mm do 3000kg	1500	1500	210	21S008153000
KPZ 2 1500 x 1500 mm 6000kg	1500	1500	455	21S015156000
KPZ 2 1500 x 2000 mm do 3000kg	1500	1500	415	21S015153000
KPZ 2 1500 x 2000 mm 6000kg	1500	1500	455	21S015156000
KPZ 2 2000 x 2000 mm do 3000kg	2000	1500	535	21S015203000
KPZ 2 2000 x 2000 mm 6000kg	2000	1500	590	21S015206000

Model	scale capacity	packing dimension
KPZ 2 800 x 800	Up to 3000kg	80 x 120 x 50 cm , 80 kg
KPZ 2 1000 x 1000	Up to 3000kg	130 x 100 x 50 cm, 100 kg
KPZ 2 1250 x 1250	Up to 3000kg	130 x 135 x 50 cm 135 kg
KPZ 2 1250 x 1500	Up to 3000kg	130 x 160 x 50 cm. 160 kg
KPZ 2 1500 x 1500	Up to 3000kg	160 x 160 x 50 cm 190 kg
KPZ 2 1500 x 2000	Up to 3000kg	160 x 200 x 50 cm 330 kg
KPZ 2 1500 x 2000	Up to 6000kg	160 x 200 x 50 cm 385 kg
KPZ 2 2000 x 2000	Up to 6000kg	200 x 200 x 50 cm 490 kg

**Einbauinformation / installation information / informace o instalaci**
**Pit fram KPZ 2 / Fundamentrahmen KPZ 2 / Základový rám KPZ 2**



Abmessungen ca. in mm: Dimension in mm : Rozměry v mm : Zeichnungsausschnitt / Drawing No : 1 =

Kabeldurchführungsöffnung/feed-through hole | Výřez výkresu = otvor k provedení kabelu. | Minimale Einbau-

Grubengröße = A+160mm x C+160mm | Miniale build in hule size = A + 160 mm x C + 160 mm | Minimální velikost jámy k zabudování = A+160mm x C+160mm

**Pit fram KPZ 2 / Fundamentrahmen KPZ 2 / Základový rám KPZ 2**

**Fundamentrahmen Einbau KPZ 2 / Základový rám montáž KPZ 2.** Bitte beachten Sie beim Einbau des Fundamentrahmen folgendes : Pls. Take care by build in the pit frame for following | Vezměte prosím na vědomí, při instalaci základního rámu toto : **Achtung! Eichfähige Ausführung | Caution certified Version | Pozor cejchuschopné provedení:** Bei der KPZ 2E ist das Kabel zwischen Anzeigeelektronik und der Plattform fest angeschlossen. Ein durchführen durch ein Fundamentrohr ist nicht möglich. Es muß ein von oben zu öffnender Kabelkanal verwendet werden! | For the KPZ 2E the cable is fixed between the platform and the Indicator, therefore it is no possibility feedthrough the cable by a pipe. The cable channel must have a possibility to open in top. | U KPZ 2 E je kabel mezi zobrazovací jednotkou a plošinou pevně připojen. Průvod přes základovou trubku není možný. Zhora musí být použit otevírací kabelový kanál. |



**Special requirements for unique loading - please contact us for more information!**


**German design and own EU production guarantees high quality.**

**Special models are our speciality!**


**Weights & measures | powder coating | good value for money | solid**






KPZ 2-11-3 




KPZ 2-02-4 





KPZ 2-03-10  IP 65



KPZ 2-04-7 



KPZ 2E-06S  



KPZ 2114




KPZ 2082 Dual counting System




KPZ 1  




KPZ 1 B 



KPZ 2B 



KPZ 2S 



KPZ 2ECO 






Low Construction Scale



KPZ 2D  



KPZ 71-\*  



**Stainless Steel DIN 1.4301, extrem solid and stable construction, IP 67, 68 and 69K**



KPZ 72  




KPZ 73B




KPZ 73SDJ



KPZ 73 



KPZ 74 



KPZ 70  weighing Forks



KPZ 39  
 Hydraulic Forklift scale



Crane scale 



Coil Scale



Animal scale 



Silo weighing






KPZ PC Software



**Special models are our speciality!**

## Mobile KPZ scales



KPZ 71-7     
Many Option possible



Option KPZ 71-7




KPZ 71-8   
2.200kg / 200g



KPZ 71-9  
2.200kg / 500g




KPZ 72 




KPZ 72, 2400mm, 3200kg




KPZ 73 




KPZ 73 SDJ 



KPZ 73 B 



KPZ 74 



Weighing forks Forklift truck scale



KPZ 39  
Electronic – Hydraulic version



Touch sreen Indicator 7-Zoll



Scale for Coil's



German design and own EU production guarantees high quality.


**Stainless steel Material : DIN 1.4301 / 1.4541 / 1.4404**

**KPZ-Waagen, Stainless steel scale and Indicator, IP 67/68/69K**



**Platform Scale KPZ 2N, Stainless steel, IP 67/68/69 K**

**Stainless steel Material : DIN 1.4301 / 1.4541 / 1.4404**



**Low construction scale KPZ 2DN**

**Plain, top plate of platform made of one piece. IP 67/68/69K**

**Stainless steel Material : DIN 1.4301 / 1.4541 / 1.4404**



**Pallet weigher Type: KPZ 71-7N  
stainless steel DIN 1.430, IP 67/68/69K**




**Pallet scale KPZ 1N, IP 67/68/69K  
Stainless steel - Material 1.4301**



**Bench Scale KPZ 2E-06, stainless steel DIN 1.430, IP 67/68, IP 69K  
German design and own EU production guarantees high quality.**





200106 00 • BR • UK €



**KPZ - Váhy, s. r. o.**

**Libošovice 76,  
CZ 507 44 Libošovice**

**Tel.:**

**+420 736 622 710**

**+420 493 571 111**

email: [kpz@kpz-vahy.cz](mailto:kpz@kpz-vahy.cz) / [zander@kpzwaagen.de](mailto:zander@kpzwaagen.de)

[www.kpzwaagen.com](http://www.kpzwaagen.com)