


KPZ 2DN Low construction scale | | Stainless steel DIN 1.4301/AISI304 IP 67.

1 Ramp is included the Price | Plain, top plate made of one piece



KPZ 52E91 IP 67



Option
KPZ 52E162 IP 65

Extreme solid and stable Low construction scales, series KPZ 2DN, IP 67. German design and own EU production guarantees high quality. Designed as floor scales, for industrial weighing. High accuracy. Maintenance-free durable Stainless steel DIN 1.4301 construction. High quality polishing standard for easy cleaning.


Construction: Robust, welded stainless steel Profil construction, solid plain steel plate, High 45mm, **made of one piece**, Hygienic design, Hermetically sealed profile, Opening construction for easy cleaning, - Gas pressure spring. For heavy duty industrial use. Material DIN 1.4301. High level of polishing for easy cleaning. **Load cells:** Robust, stainless steel, IP68, OIML C 3, with a high overload capacity, **Levelling feet.** **Installation:** 5m cable between Platform and indicator. **Power Supply :** 230 V mains, Power cord. **Certification:** OIML class III , CE conform. **Indicator:** KPZ 52E91, **IP67.**

Typ KPZ	Capacity kg	Div. g	Dim. mm	Indicator IP67	€/pcs Scale	Art.-No. Scale	Certific. possible	€/pcs Certific.	Art.-No. Certification
2DN	150	50	800x800x45	52E91	On Request	2DN00808015E	No	X	X
2DNM	150/300	50/100	800x800x45	52E91	2830,00	2DNM08080300	No	x	X
2DNE	300	100	800x800x45	52E91	2890,00	2DN00808030E	YES	85,00	300PL000500
2DNE	600	200	800x800x45	52E91	3020,00	2DN00808060E	YES	95,00	300PL003000
2DNM	300/600	100/200	800x800x45	52E91	2965,00	2DNM08080600	No	x	X
2DNM	750/1500	200/500	800x800x45	52E91	2965,00	2DNM08081500	No	x	X
2DNE	600	200	1060x1250x45	52E91	3705,00	2DN01112060E	YES	95,00	300PL003000
2DNM	750/1500	200/500	1060x1250x45	52E91	3640,00	2DNM11121500	No	x	X
2DNE	1500	500	1060x1250x45	52E91	3705,00	2DN01112150E	YES	95,00	300PL003000
2DNE	600	200	1250x1250x45	52E91	4015,00	2DN01212060E	YES	95,00	300PL003000
2DNM	750/1500	200/500	1250x1250x45	52E91	3980,00	2DNM12121500	No	x	X
2DNE	1500	500	1250x1250x45	52E91	4015,00	2DN01212150E	YES	95,00	300PL003000
2DNE	600	200	1250x1500x45	52E91	4395,00	2DN01215060E	YES	95,00	300PL003000
2DNM	750/1500	200/500	1250x1500x45	52E91	4360,00	2DNM12151500	No	x	X
2DNE	1500	500	1250x1500x45	52E91	4395,00	2DN01215150E	YES	95,00	300PL003000
2DNE	600	200	1500x1500x45	52E91	4790,00	2DN01515060E	YES	95,00	300PL003000
2DNM	750/1500	200/500	1500x1500x45	52E91	4760,00	2DNM15151500	No	x	X
2DNE	1500	500	1500x1500x45	52E91	4790,00	2DN01515150E	YES	95,00	300PL003000


Other dimensions and capacities are also available

Options / accessories / extra charge	€/pcs	Art.-No.
Delivery without Indicator REDUCED PRICE	On Request	12N52E91OHNE
Indicator KPZ 52(E)162(IP65) instead of KPZ 52E91(IP67)	-20,00	12N52E16200
Rechargeable battery version KPZ 52E91	included	X
Indicator Stand for KPZ 52E91 stainless Steel	80,00	1N0200000000
Wall mounting for KPZ 52E91	included	X
Serial interface RS232C k KPZ 52E91	15,00	1252E9000100
Foot locator, Set (4pcs), stainless steel	135,00	01052N100000
WiFi Datatransfer	425,00	120005000000
Connector in cable between Plattform and Indicator also	50,00	52E910001100
USB, 8MB internal Memory	670,00	X
KPZ Software	On Request	X
KPZ Printer	On Request	X

Diameter typ KPZ 2DN



Capacity	Dim.	A	A1	B	C	C1	D	E
600kg	800 x 800	800	1800	500	800	1040	80	45
1500kg	1250 x 1060	1250	2250	500	1060	1300	80	45
1500kg	1250 x 1250	1250	2250	500	1250	1490	80	45
1500kg	1250 x 1500	1500	2500	500	1250	1490	80	45



Ramp for KPZ 2 DN	A/mm	B/mm	€/pcs	Art. nr
Ramp for KPZ 2 DN, 800 mm	500	800	375,00	21DN05081200
Ramp for KPZ 2 DN, 1060 mm	500	1060	575,00	21DN05111500
Ramp for KPZ 2 DN, 1250 mm	500	1250	585,00	21DN05121500
Ramp for KPZ 2 DN, 1500 mm	500	1500	625,00	21DN05151500

Go through stop	€/pcs
Go through stop for KPZ 2 DN dim. 800 x 800 mm	130,00
Go through stop for KPZ 2 DN dim. 1250 x 1060 mm	155,00
Go through stop for KPZ 2 DN dim. 1250 x 1500 mm	180,00
Go through stop for KPZ 2 DN dim. 1500 x 1500 mm	180,00

... please contact us for special requests!

Solid Low construction scales for industrial use

Weighing range from 0 up to 6.000 kg



KPZ 2DNG Low construction scale | **Stainless steel DIN 1.4301/AISI304 IP 67**

1 Ramp is included the Price | Plain top plate made of one piece



KPZ 52E91
IP 67

KPZ 52E162
IP 65

Extreme solid and stable Low construction scales, series KPZ 2DNG, IP 67. German design and own EU production guarantees high quality. Designed as floor scales, for industrial weighing. High accuracy. Maintenance-free durable Stainless steel DIN 1.4301 construction. High quality polishing standard for easy cleaning. **1 Ramp included in Price.**

Construction: Robust, welded stainless steel Profil construction, solid plain steel plate, High 45mm, **made of one piece**, heavy duty design for industrial use. Material DIN 1.4301. High level of polishing for easy cleaning. **Load cells:** Robust, stainless steel, IP68, OIML C 3, with a high overload capacity, **Levelling feet.** **Installation:** 5m cable between Platform and indicator. **Power Supply** : 230 V mains, Power cord. **Certification:** OIML class III , CE conform. **Indicator:** KPZ 52E91, **IP67.**

Typ KPZ	Capacity kg	Div. g	mm Weigh. surface	Indicator IP67	€/pcs Scale	Art.-No. Scale	Certific. possible	€/pcs Certific.	Art.-No. Certification
2DNGE	300	100	800x800x45	52E91	3470,00	2DNG0808030E	YES	85,00	300PL000500
2DNGE	600	200	800x800x45	52E91	3470,00	2DNG0808060E	YES	95,00	300PL003000
2DNMG	300/600	100/200	800x800x45	52E91	3435,00	2DNG080806M0	No	x	X
2DNMG	750/1500	200/500	800x800x45	52E91	3435,00	2DNG080815M0	No	x	X
2DNGE	600	200	1060x1250x45	52E91	5100,00	2DNG1112060E	YES	95,00	300PL003000
2DNMG	750/1500	200/500	1060x1250x45	52E91	5065,00	2DNG111215M0	No	x	X
2DNGE	1500	500	1060x1250x45	52E91	5100,00	2DNG1112150E	YES	95,00	300PL003000
2DNGE	600	200	1250x1250x45	52E91	5440,00	2DNG1212060E	YES	95,00	300PL003000
2DNMG	750/1500	200/500	1250x1250x45	52E91	5405,00	2DNG121215M0	No	x	X
2DNGE	1500	500	1250x1250x45	52E91	5440,00	2DNG1212150E	YES	95,00	300PL003000
2DNGE	600	200	1250x1500x45	52E91	6015,00	2DNG1215060E	YES	95,00	300PL003000
2DNMG	750/1500	200/500	1250x1500x45	52E91	5980,00	2DNG121515M0	No	x	X
2DNGE	1500	500	1250x1500x45	52E91	6015,00	2DNG1215150E	YES	95,00	300PL003000
2DNGE	600	200	1500x1500x45	52E91	6560,00	2DNG1515060E	YES	95,00	300PL003000
2DNMG	750/1500	200/500	1500x1500x45	52E91	6525,00	2DNG151515M0	No	x	X
2DNGE	1500	500	1500x1500x45	52E91	6560,00	2DNG1515150E	YES	95,00	300PL003000


Other dimensions and capacities are also available

Options / accessories / extra charge	€/pcs	Art.-No.
Delivery without Indicator REDUCED PRICE	On Request	12N52E91OHNE
Indicator KPZ 52(E)162(IP65) instead of KPZ 52E91(IP67)	-20,00	12N52E16200
Rechargable battery version KPZ 52E91	included	X
Indicator Stand for KPZ 52E91 stainless Steel	80,00	1N0200000000
Wall mounting for KPZ 52E91	included	X
Serial interface RS232C k KPZ 52E91	15,00	1252E9000100
Foot locator, Set (4pcs), stainless steel	135,00	01052N100000
WiFi Datatransfer	425,00	120005000000
Connector in cable between Plattform and Indicator also	50,00	52E910001100
USB, 8MB internal Memory	670,00	X
KPZ Software	On Request	X
KPZ Printer	On Request	X

KPZ price includes complete scale with indicator and 1 Ramp.



Option / second Ramp for KPZ 2DNG




second Ramp for KPZ 2DNG	A/mm	B/mm	€/pcs	Art. nr
Ramp for KPZ 2 DN, 800 mm	500	800	375,00	21DNG5081200
Ramp for KPZ 2 DN, 1060 mm	500	1060	575,00	21DNG5111500
Ramp for KPZ 2 DN, 1250 mm	500	1250	585,00	21DNG5121500
Ramp for KPZ 2 DN, 1500 mm	500	1500	625,00	21DNG5151500

.....pls contact us for special request !



KPZ 2DN2C low drive-through scale | | Stainless steel DIN 1.4301/AISI304, IP 65, 2 integrated ramps

C series means: complete with Indicator, battery, output RS 232C | | retail aproval, included the price



Extreme solid and stable drive-through scale, series KPZ 2DN2C, IP 65. German design and own EU production guarantees high quality. Designed as floor scales, for industrial weighing. High accuracy. Maintenance-free durable Stainless steel DIN 1.4301 construction. High quality polishing standard for easy cleaning.

Construction: Robust, maintenance-free, welded stainless steel profile steel construction, Material DIN 1.4301, Low profile (29 mm) weighing plate, 2 integrated ramps. **Load cells:** Robust, IP68, OIML III, high overload capacity. Levelling feet. **Installation:** 5m cable between Platform and indicator. **Approvals:** OIML class III , CE conform. **Power Supply** : rechargeable battery, adapter 230 VAC. **Indicator:** KPZ 51-16-1. ABS, **approved:** KPZ 52E16-1, **IP 65**, Stainless steel housing. Price **included Factory first Certification.** Stainless steel housing , 6-digit 25 mm, backlite LCD, with status symbols, with **built-in rechargeable battery and RS 232**, **Basic function:** zero setting, tare (multitare possible) minus indication, switching net/gross. Over menu adjustable: Set point or limit value control.

KPZ price includes : complete scale with indicator, built-in rechargeable battery and RS 232, 2SCME also the Factory first Certification.

Typ KPZ	Capacity kg	Div. g	Weighing surface mm	Indicator IP65	€/pcs Scale	Art.-No. Scale	Certific. possible	€/pcs Certific.	Art.-No. Certification
2 DCN2C	150/300	50/100	800x800	52162	2385,00	2DNC08080320	No	X	X
2 DCN2CE	300	100	800x800	52E16-2	2430,00	2DNC0808032E	YES	included	X
2 DCN2C	300	100	1000x1000	52162	3980,00	2DNC10100320	No	X	X
2 DCN2CE	300	100	1000x1000	52E16-2	4025,00	2DNC10100320	YES	included	X
2 DCN2CE	600	200	1000x1000	52E16-2	4915,00	2DNC1010062E	YES	included	X

Other dimensions and capacities are also available

Options / accessories / extra charge	€/pcs	Art.-No.
Delivery without Indicator	-50,00	12C52E162OH
Rechargeable battery version KPZ 51(2)-16-2	included	X
Indicator Stand for KPZ 52E-16-2, Stainles steel	95,00	1N0200000000
Wall mounting for KPZ 51(2)-16-1	included	X
Serial interface RS232C k KPZ 51(2)-16-1	included	X
Set (4pcs) Base plate for fixing Loadcells stainless steel	135,00	01052N100000
Connector in Cable between Plattform and Indicator, also Version	50,00	12C52E162OH
WiFi Datatransfer	425,00	120005000000
USB, 8MB internal Memory	670,00	X
KPZ Software	On Request	X
KPZ Printer	On Request	X

.....please contact us for special requests!



KPZ-Waagen Stainless steel scale Program | | German design and own EU production guarantees high quality.

Also possible Material : DIN 1.4541 (AISI304) / 1.4404 / **IP 65 - IP 69K**

 <p>KPZ 1N / IP67</p>	 <p>KPZ 717 N IP67</p>	 <p>KPZ 2DNC2 IP 65+67</p>	
 <p>KPZ 2N / IP67 Option: Frame Galvanized Plate Stainless</p>	 <p>KPZ 2N / Hygienic design (option)</p>	 <p>Customized design</p>	
 <p>KPZ 2DN / IP67</p>	 <p>KPZ 2DN / IP67</p>	 <p>KPZ 1N Beam Scale IP 67</p>	
 <p>KPZ 2E06N IP67 + IP 69K</p>	 <p>Roller conveyor</p>	 <p>KPZ 2E-07-2N M</p>	 <p>KPZ 2NL</p>

... please contact us for special requests!

**Hygienic design, Hermetically sealed profile,
Opening construction for easy cleaning, - Gas pressure spring.**

