


## Floor Scale

 <b>KPZ 1SX /</b>	 <b>KPZ 1S /</b>	 <b>KPZ 1BS /</b>
 <b>KPZ 2SX /</b>	 <b>KPZ 2S /</b>	 <b>KPZ 2ECO /</b>
 <b>KPZ 2B /</b>	 <b>KPZ 2D /</b>	 <b>KPZ 2 DIA</b> <b>Wheel chair scales </b>
 <b>KPZ 2-08-2</b> <b>Dual Counting System</b>	 <b>KPZ 2ECOW / laundry scale</b>	 <b>KPZ 2E07</b>
		 <b>Animal Scale</b>
		

## Container scale



## KPZ 1SX / Pallet scales

### Solid Pallet scale for industrial use






Weights & measures | powder coating | good value for money | solid

**Possible to deliver without Indicator or OEM-Version**

USA Version Page 3



**Inexpensive version**

Type	Capacity	Division	Indicator	Dim. mm	Approval possible	PLN/pc	Article-No.
KPZ 1SXE	300 kg	100 g	KPZ 52E-8	820 x 1200	YES 	On Request	1SX00000030E
KPZ 1SXE	600 kg	200 g.	KPZ 52E-8	820 x 1200	YES 	On Request	1SX00000120E
KPZ 1SXE	1500 kg	500 g	KPZ 52E-8	820 x 1200	YES 	On Request	1SX00000150E
KPZ 1SXE	2000 kg	1000 g	KPZ 52E-8	820 x 1200	YES 	On Request	1SX00000200E
<b>KPZ 1M</b>	<b>1000/2000 kg</b>	<b>200/500 g</b>	<b>KPZ 52-18</b>	<b>820 x 1200</b>	<b>No</b>	On Request	<b>1SX000002000</b>
<b>KPZ 1M</b>	<b>1000/2000 kg</b>	<b>200/500 g</b>	<b>without</b>	<b>820 x 1200</b>	YES 	On Request	<b>1XM000002000</b>

**Solid and stable platform scales series KPZ 1S. German design and own EU production guarantees high quality.** Designed as floor scales, industrial weighing. High accuracy. Maintenance-free durable steel construction. Powder paint coated.

**Construction:** Robust, maintenance-free, welded steel construction, heavy duty design for industrial use, non-slip finish weighing platform, durable black powder coat.

**Load cells:** Robust, nickel-plated load cell, IP68, OIML, with a high overload capacity.

**Installation:** Adjustable leveling feet, designed for permanent or portable installations, 5m cable to connect digital indicator.

**Options:** Extra ramps, Base anchors, Wall mounting for indicator, Indicator stand, Custom sizes and capacities

**Standard indicator:** KPZ 52-18

**For approved applications:** KPZ 52E-8

**Options for indicators:** Multi range, RS 232 serial interface, Various printers connection, Radio data transfer, WLAN, etc.. Internal battery




**Approvals:** OIML class III , CE conform

**Power Supply :** 230 V mains, Power cord

**Special requirements for unique loading - please contact us for more information!**

## Special models are our speciality!

## USA Version

Typ	Capacity Lb / kg	Division Lb / g	Dim.ft/ mm	Approval possible	Indicator	Price \$	Article-No.
<b>KPZ1SX</b>	<b>1000 lb/450 kg</b>	<b>0.2 lb/ 90 g</b>	<b>3.28 x 4.13 / 1000x1260</b>	No	without		<b>1X000000100L</b>
KPZ1SX	1000 lb/450 kg	0.2 lb/ 90 g	3.28 x 4.13 / 1000x1260	No	KPZ 5218		1X000000100L
KPZ1SX	1000 lb/450 kg	0.2 lb/ 90 g	3.28 x 4.13 / 1000x1260	YES 	KPZ 52E8		1XE00000100L
KPZ1SX	2000 lb/900 kg	0.5 lb/ 225 g	3.28 x 4.13 / 1000x1260	No	KPZ 5218		1X000000200L
KPZ1SX	2000 lb/900 kg	0.5 lb/ 225 g	3.28 x 4.13 / 1000x1260	YES 	KPZ 52E8		1XE00000200L
KPZ1SX	5000 lb/2260 kg	0.5 lb/ 225 g	3.28 x 4.13 / 1000x1260	No	KPZ 5218		1X000000500L
KPZ1SX	5000 lb/2260 kg	1 lb/ 225 g	3.28 x 4.13 / 1000x1260	YES 	KPZ 52E8		1XE00000500L


## KPZ 1S / Pallet scales M

**Solid Pallet scale for industrial use**

Weights & measures | powder coating | good value for money | solid

Váživost: až 15.000kg

USA Version Page 5



Diameter in mm:

Type	Capacity	Division	Indicator	Dim. mm	Approval possible	PLN/pc	Article-No.
KPZ 1E	600 kg	200 g	KPZ 52E-8	840 x 1260	Ano <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1S00000060E
KPZ 1EM	600/1200 kg	200/500 g	KPZ 52E-8	840 x 1260	Ano <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1SM0000120E
KPZ 1M	600/1200 kg	200/500 g	KPZ 52-18	840 x 1260	No	On Request	1SM000001200
KPZ 1E	1500 kg	500 g	KPZ 52E-8	840 x 1260	Ano <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1S000000150E
KPZ 1	1500 kg	500 g	KPZ 52-18	840 x 1260	No	On Request	1S0000001500
KPZ 1E	2000 kg	1000 g	KPZ 52E-8	840 x 1260	Ano <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1S000000200E
KPZ 1	2000 kg	1000 g	KPZ 52-18	840 x 1260	No	On Request	1S0000002000
KPZ 1M	1000/2000 kg	200/500 g	KPZ 52-18	840 x 1260	No	On Request	1SM000002000
KPZ 1EM	1500/3000 kg	500/1000 g	KPZ 52E-8	840 x 1260	Ano <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1SM00000300E
KPZ 1M	1500/3000 kg	500/1000 g	KPZ 52-18	840 x 1260	No	On Request	1SM000003000
KPZ 1E	3000 kg	1000 g	KPZ 52E-8	840 x 1260	Ano <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1S000000300E
KPZ 1	3000 kg	1000 g	KPZ 52-18	840 x 1260	No	On Request	1S0000003000
KPZ 1M	3000/6000 kg	1000 /2000 g	KPZ 52-18	840 x 1260	No	On Request	1SM000006000
KPZ 1E	6000 kg	2000 g	KPZ 52E-8	840 x 1260	Ano <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1S000000600E

**Solid and stable platform scales series KPZ 1S. German design and own EU production guarantees high quality.** Designed as floor scales, industrial weighing. High accuracy. Maintenance-free durable steel construction. Powder paint coated.

**Construction:** Robust, maintenance-free, welded steel construction, heavy duty design for industrial use, non-slip finish weighing platform, durable black powder coat.

**Load cells:** Robust, nickel-plated load cell, IP68, OIML, with a high overload capacity.

**Installation:** Adjustable leveling feet, designed for permanent or portable installations, 5m cable to connect digital indicator.

**Options:** Extra ramps, Base anchors, Wall mounting for indicator, Indicator stand, Custom sizes and capacities

**Standard indicator:** KPZ 52-18

**For approved applications:** KPZ 52E-8

**Options for indicators:** Multi range, RS 232 serial interface, Various printers connection, Radio data transfer, WLAN, etc.. Internal battery




**Approvals:** OIML class III M, CE conform

**Power Supply :** 230 V mains, Power cord

**Special requirements for unique loading - please contact us for more information!**

## Special models are our speciality!

## USA Version

Typ	Capacity Lb / kg	Division Lb / g	Dim. Ft/mm	Approval possible	Indicator	Price \$	Article-No.
<b>KPZ1S</b>	<b>2000 lb / 900 kg</b>	<b>0.2 lb/ 90 g</b>	<b>3.28 x 4.13/1000x1260</b>	<b>No</b>	<b>without</b>		<b>1S000000200L</b>
KPZ1S	2000 lb / 900 kg	0.2 lb/ 90 g	3.28 x 4.13/1000x1260	No	KPZ 5218		1S000000200L
KPZ1SM	1000/2000 lb/450/900 kg	0.2/0.5 lb/ 90/225 g	3.28 x 4.13/1000x1260	YES 	KPZ 52E8		1SME0000200L
KPZ1S	5000 lb/ 2260 kg	0.5 lb/ 225 g	3.28 x 4.13/1000x1260	No	KPZ 5218		1S000000500L
KPZ1SM	2500/5000 lb/1130/2260 kg	0.5/1 lb/ 225/450 g	3.28 x 4.13/1000x1260	YES 	KPZ 52E8		1SME0000500L
KPZ1S	10000 lb/4535 kg	1 lb/ 450 g	3.28 x 4.13/1000x1260	No	KPZ 5218		1S000001000L
KPZ1SM	5000/10000 lb/2260/4545 kg	1/2 lb/ 450/900 g	3.28 x 4.13/1000x1260	YES 	KPZ 52E8		1SME0001000L

**Options: Please contact us, we will do almost everything for you.  
Weighing range from 0 up to 30.000 lb**

## KPZ 1BSX / Beam scale M

Solid Pallet scale for industrial use

Capacity : up to 2.000kg

USA Version Page 5



**Inexpensive version**

Type	Capacity	Division	Indicator	Dim. mm	Approval	PLN/pc	Art-Nr.
KPZ 1BSXM	1000/2000 kg	500/1000 g	without	85 x 1000	Yes <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">III</span> <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1BSXM00102000
KPZ 1BSXM	1000/2000 kg	500/1000 g	without	85 x 1200	Yes <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">III</span> <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1BSXM00122000
KPZ 1BSXM	1000/2000 kg	500/1000 g	without	85 x 1500	Yes <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">III</span> <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1BSXM00152000
KPZ 1BSXM	1000/2000 kg	500/1000 g	KPZ 52-18	85 x 1000	No	On Request	1BSXM0102000
KPZ 1BSXE	1500 kg	500 g	KPZ 52E-8	85 x 1000	Yes <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">III</span> <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1BSX0010150E
KPZ 1BSX	1500 kg	500 g	KPZ 52-18	85 x 1000	No	On Request	1BSX00101500
KPZ 1BSXE	2000 kg	1000 g	KPZ 52E-8	85 x 1000	Yes <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">III</span> <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1BSX0010200E
KPZ 1BSX	2000 kg	1000 g	KPZ 52-18	85 x 1000	No	On Request	1BSX00102000
KPZ 1BSXM	1000/2000 kg	500/1000 g	KPZ 52-18	85 x 1200	No	On Request	1BSXM0122000
KPZ 1BSXE	1500 kg	500 g	KPZ 52E-8	85 x 1200	Yes <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">III</span> <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1BSX0012150E
KPZ 1BSX	1500 kg	500 g	KPZ 52-18	85 x 1200	No	On Request	1BSX00121500
KPZ 1BSXE	2000 kg	1000 g	KPZ 52E-8	85 x 1200	Yes <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">III</span> <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1BSX0012200E
KPZ 1BSX	2000 kg	1000 g	KPZ 52-18	85 x 1200	No	On Request	1BSX00122000
KPZ 1BSXM	1000/2000 kg	500/1000 g	KPZ 52-18	85 x 1500	No	On Request	1BSXM0152000
KPZ 1BSXE	1500 kg	500 g	KPZ 52E-8	85 x 1500	Yes <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">III</span> <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1BSX0015150E
KPZ 1BSX	1500 kg	500 g	KPZ 52-18	85 x 1500	No	On Request	1BSX00151500
KPZ 1BSXE	2000 kg	1000 g	KPZ 52E-8	85 x 1500	Yes <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">III</span> <span style="background-color: green; color: white; padding: 2px;">M</span>	On Request	1BSX0015200E
KPZ 1BSX	2000 kg	1000 g	KPZ 52-18	85 x 1500	No	On Request	1BSX00152000

Solid and stable scales series KPZ 1BSX. German design and own EU production guarantees high quality. Designed as floor scales, industrial weighing. High accuracy. Maintenance-free durable steel construction. Powder paint coated.

**Construction:** Robust, maintenance-free, welded steel construction, heavy duty design for industrial use, durable black powder coat.

**Load cells:** Robust, nickel-plated load cell, IP68, OIML, with a high overload capacity.

**Installation:** Adjustable leveling feet, designed for permanent or portable installations, 5m cable to connect digital indicator.

**Options:** Base anchors, Wall mounting for indicator, Indicator stand, Custom sizes and capacities

**Standard indicator:** KPZ 52-18

**For approved applications:** KPZ 52E-8







**Options for indicators:** Multi range, RS 232 serial interface, Various printers connection, Radio data transfer, WLAN, etc.. Internal battery

**Approvals:** OIML class III M, CE conform

**Power Supply :** 230 V mains, Power cord

**Special requirements for unique loading - please contact us for more information!**



## USA Version

Typ	Capacity Lb/kg	Division Lb/g	Dim.Ft/ mm	Approval possible	Indicator	Price \$	Article-No.
KPZ 1BM	3000/6000 lb/ 1360/2720 kg	0.5/1.0 lb/225/450 g	0.28x3.28/85x1000	No	without		1BM00030600L
KPZ 1BM	3000/6000 lb/ 1360/2720 kg	0.5/1.0 lb/225/450 g	0.28x3.28/85x1000	No	KPZ 5218		1BM00030600L
KPZ 1BE	2500 lb/1130 kg	0.5 lb/225 g	0.28x3.28/85x1000	YES 	KPZ 52E8		1BE000030150L
KPZ 1BE	5000 lb/2260 kg	1.0 lb/450 g	0.28x3.28/85x1000	YES 	KPZ 52E8		1BE00030300L
KPZ 1BM	3000/6000 lb/ 1360/2720 kg	0.5/1.0 lb/225/450 g	0.28x4.13'/85x1260	No	KPZ 5218		1BM00040600L
KPZ 1BE	2500 lb/1130 kg	0.5 lb/225 g	0.28x4.13'/85x1260	YES 	KPZ 52E8		1BE00040150L
KPZ 1BE	5000 lb/2260 kg	1.0 lb/450 g	0.28x4.13'/85x1260	YES 	KPZ 52E8		1BE00040300
KPZ 1BM	3000/6000 lb/ 1360/2720 kg	0.5/1.0 lb/225/450 g	0.28x4.92/85x1500	No	KPZ 5218		1BM00050600L
KPZ 1BE	2500 lb/1130 kg	0.5 lb/225 g	0.28x4.92/85x1500	YES 	KPZ 52E8		1BE00050150L
KPZ 1BE	5000 lb/2260 kg	1.0 lb/450 g	0.28x4.92/85x1500	YES 	KPZ 52E8		1BE00050300L

## KPZ 1B / Beam scale **M**

**Solid, heavy duty design Pallet scale for strong industrial use**

Capacity : up to 50.000kg



Container scale

Type	Capacity	Division	Indicator	Dim. mm	Approval	PLN/pc	Art-Nr.
<b>KPZ 1BSM</b>	<b>1500/3000 kg</b>	<b>500/1000 g</b>	<b>KPZ 52-18</b>	<b>85 x 800</b>	<b>No</b>	<b>On Request</b>	<b>1BSM00083000</b>
KPZ 1BSE	1500 kg	500 g	KPZ 52E-8	85 x 800	Yes (III) <b>M</b>	On Request	1BS00008150E
KPZ 1BS	1500 kg	500 g	KPZ 52-18	85 x 800	No	On Request	1BS000081500
KPZ 1BSE	3000 kg	1000 g	KPZ 52E-8	85 x 800	Yes (III) <b>M</b>	On Request	1BS00008300E
KPZ 1BS	3000 kg	1000 g	KPZ 52-18	85 x 800	No	On Request	1BS000083000
<b>KPZ 1BSM</b>	<b>1500/3000 kg</b>	<b>500/1000 g</b>	<b>KPZ 52-18</b>	<b>85 x 1000</b>	<b>No</b>	<b>On Request</b>	<b>1BSM00103000</b>
KPZ 1BSE	1500 kg	500 g	KPZ 52E-8	85 x 1000	Yes (III) <b>M</b>	On Request	1BS00010150E
KPZ 1BS	1500 kg	500 g	KPZ 52-18	85 x 1000	No	On Request	1BS000101500
KPZ 1BSE	3000 kg	1000 g	KPZ 52E-8	85 x 1000	Yes (III) <b>M</b>	On Request	1BS00010300E
KPZ 1BS	3000 kg	1000 g	KPZ 52-18	85 x 1000	No	On Request	1BS000103000
<b>KPZ 1BSM</b>	<b>1500/3000 kg</b>	<b>500/1000 g</b>	<b>KPZ 52-18</b>	<b>85 x 1200</b>	<b>No</b>	<b>On Request</b>	<b>1BSM00123000</b>
KPZ 1BSE	1500 kg	500 g	KPZ 52E-8	85 x 1200	Yes (III) <b>M</b>	On Request	1BS00012150E
KPZ 1BS	1500 kg	500 g	KPZ 52-18	85 x 1200	No	On Request	1BS000121500
KPZ 1BSE	3000 kg	1000 g	KPZ 52E-8	85 x 1200	Yes (III) <b>M</b>	On Request	1BS00012300E
KPZ 1BS	3000 kg	1000 g	KPZ 52-18	85 x 1200	No	On Request	1BS000123000
<b>KPZ 1BSM</b>	<b>1500/3000 kg</b>	<b>500/1000 g</b>	<b>KPZ 52-18</b>	<b>85 x 1500</b>	<b>No</b>	<b>On Request</b>	<b>1BSM00153000</b>
KPZ 1BSE	1500 kg	500 g	KPZ 52E-8	85 x 1500	Yes (III) <b>M</b>	On Request	1BS00015150E
KPZ 1BS	1500 kg	500 g	KPZ 52-18	85 x 1500	No	On Request	1BS000151500
KPZ 1BSE	3000 kg	1000 g	KPZ 52E-8	85 x 1500	Yes (III) <b>M</b>	On Request	1BS00015300E
KPZ 1BS	3000 kg	1000 g	KPZ 52-18	85 x 1500	No	On Request	1BS000153000

**Solid and stable scales series KPZ 1B. German design and own EU production guarantees high quality.** Designed as floor scales, industrial weighing. High accuracy. Maintenance-free durable steel construction. Powder paint coated.

**Construction:** Robust, maintenance-free, welded steel construction, heavy duty design for industrial use, durable black powder coat.

**Load cells:** Robust, nickel-plated load cell, IP68, OIML, with a high overload capacity.

**Installation:** Adjustable leveling feet, designed for permanent or portable installations, 5m cable to connect digital indicator.

**Options:** Base anchors, Wall mounting for indicator, Indicator stand, Custom sizes and capacities

**Standard indicator:** KPZ 52-18

**For approved applications:** KPZ 52E-8

**Options for indicators:** Multi range, RS 232 serial interface, Various printers connection, Radio data transfer, WLAN, etc. Internal battery

**Approvals:** OIML class III **M**, CE conform

**Power Supply :** 230 V mains, Power cord

## Special models are our speciality!



Options / accessories / extra charge	PLN/pc	Article-Nr
<b>Indicators: Options (extra cost)</b>		
Delivery without Indicator KPZ 52E-8, <b>REDUCED PRICE</b>	On Request	1252E80HNE0
Delivery without Indicator KPZ 52-18, <b>REDUCED PRICE</b>	On Request	1252180HNE0
Indicator KPZ 52E-8 <b>instead of KPZ 52-18</b>	On Request	1252E8000000
Indicator KPZ 52E-8/1, with pre tare and easy counting <b>instead of KPZ 52E-8</b>	On Request	120030000000
Indicator KPZ 52E-8/1, with pre tare and easy counting <b>instead of KPZ 52-18</b>	On Request	12J030000000
Indicator KPZ 56E-3, professional counting, addition, Tare input by hand, <b>instead of KPZ 52E-8</b>	On Request	120324000000
Indicator KPZ 56E-3, professional counting, addition, Tare input by hand, <b>instead of KPZ 52-18</b>	On Request	120324000000
Indicator KPZ 52E-9-1, Stainles steel housing (IP 67) easy counting <b>instead of KPZ 52E-8</b>	On Request	1252E9100000
Indicator KPZ 52E-9-1, Stainles steel housing (IP 67) easy counting <b>instead of KPZ 52-18</b>	On Request	1252J9100000
Indicator KPZ 51E-9-2, Stainles steel housing (IP 67), High/OK/LOW, 10 Memory <b>instead of KPZ 52E-8</b>	On Request	1251E9200000
Indicator KPZ 51E-9-2, Stainles steel housing (IP 67), High/OK/LOW, 10 Memory <b>instead of KPZ 52-18</b>	On Request	1251J9200000
<b>Printers: Options (extra cost) + costs for output RS 232</b>		
Roller printer FAVORIT Plus, for KPZ 51(E)-*,	On Request	120024000000
Printer DR 7	On Request	120039000000
Printer DR 7 with date & time	On Request	120039100000
Label printer and code printer type DR 2 for KPZ 56E-1, KPZ 51E-9-2	On Request	120038000000
Print design for DR 2 on request	On Request	204333100000
<b>serial interface / Setpoints: Options / extra costs</b>		
Serial interface RS232 C for KPZ 52E-8	On Request	1252E8000100
Serial interface RS232 C for KPZ 52-18	On Request	511830700000
Serial interface RS232 C for KPZ 52E-9-1	On Request	123071000000
Serial interface RS232 C for KPZ 51E-9-2	On Request	123072000000
Serial interface RS232 C for KPZ 56E-3 incl. PT and Addition	On Request	123080000000
Serial interface RS232 C for KPZ 56E-3 incl. RTC, w/out PT, w/out Addition	On Request	204300070000
Setpoints, 3 pcs for KPZ 52(E)-8 (more – OK – less)	On Request	120029001000
Setpoints, 3 pcs for KPZ 51E-9-2 (more – OK – less)	On Request	120029002000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)	On Request	5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)	On Request	5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)	On Request	5S0010000000
Wi-Fi Datatransfer	On Request	120005000000
Rechargeable battery version KPZ 51(E)-8, 56E-1, 51E-9-1, 51E-9-2	On Request	120040000000
<b>weights &amp; measures certification (extra charge)</b>		
KPZ Factory first certification up to 500 kg	On Request	300PL0000500
KPZ Factory first certification from 550 kg up to 3.000 kg	On Request	300PL0003000
KPZ Factory first certification from 3.050 kg up to 10.000 kg	On Request	300PL0010000
<b>construction accessories (extra charge)</b>		
Indicator stand for KPZ 52(E)-8, KPZ 56E-3	On Request	1S0200000000
Indicator stand for KPZ 52-18,	On Request	1S0220000000
Indicator stand for KPZ 52(E)-9-1, KPZ 51E-9-2	On Request	1S0210000000
Wall mounting indicator KPZ 52(E)-8, KPZ 56E-3	On Request	1S0020000000
Wall mounting indicator KPZ 52-18	On Request	1S0022000000



**KPZ 1-\***

**KPZ 2-\***

**KPZ 2-\***



**KPZ 71-\***



**KPZ 73-\***



**KPZ 72-\***



**KPZ 74-\***



**Weighing forks Forklift truck scale**



**Electronic – Hydraulic version**



**Scale for Coil's**



**Stainless steel, IP 67/68/ 69K**



**KPZ-Waagen Indicator**



**KPZ 52E8**



**KPZ 52E8-1**



**KPZ 56E4**



**KPZ 52-18**



**KPZ 52E9-1**



**KPZ 52E9-2**



**KPZ 54-1\***