

KPZ 71-7S+71-7N EX / pallet truck with integrated scale
stainless steel DIN 1.4301 / IP67/68+ IP 69K

Capacity 2.000 kg | Division : 100g , 200 g, 500g | **accuracy: 0,02 %**

EX zone 1+ 2 / EU-approval class **M** ^{Klasse} III



Typ KPZ 71-7NEX
stainless steel DIN 1.4301



KPZ 73BL



ATEX konform

German design and own EU production guarantees high quality.

Mobile weighing Saved working time / simply use, take the Palletweigher, drive directly under the pallet or load, pump up, weighing and drive the load to the point of use.

Pallet truck type; KPZ 71-7 Ex

With indicator KPZ 51E-12EX

Powder painted steel, RAL 1003, top plate made of stainless steel can be used where explosive gas and dust mixtures appear zone 1 for gas group IIC ,temperature class up to T3.

According to ATEX 94/9/EG protection factor EX II 2G IIB T3.

Protection class for components of indicator: EEx ib IIC T4 II 2 G 0 1 0 2, battery: II 2 G 1 D EEx em [ib] IIC T 4 T80°C, junction box: II 2 G Ex e ia IIC T6, Load cells: II 1 G Ex ia IIC T4 Ta = -20°C to +40°C;IP67.



Pallet truck type; KPZ 71-7 NEX

With indicator KPZ 51E-12EX

Complete stainless steel, material DIN 1.4301 can be used where explosive gas and dust mixtures appear zone 1 for gas group IIC temperature class T3. According to ATEX 94/9/EG protection factor EX II 2G IIC T3.

Protection class for components of indicator: EEx ib IIC T4 II 2 G 0 1 0 2, battery: II 2 G 1 D EEx em [ib] IIC T 4 T80°C, junction box: II 2 G Ex e ia IIC T6, Load cells: II 1 G Ex ia IIC T4 Ta = -20°C to +40°C;IP68.



Type	Capacity	Division	Approval possible	PLN/pc	Art. nr
KPZ 717EXS	600 kg	200 g	No		717EXS000600
KPZ 717EXS	1500 kg	500 g	No		717EXS001500
KPZ 717EXS	2200 kg	1000 g	No		717EXS002200
KPZ 717EXSE	600 kg	100/200 g	Yes (III) M		717EXS00060E
KPZ 717EXSE	1500 kg	100/200 g	Yes (III) M		717EXS00150E
KPZ 717EXSE	2200 kg	100/200 g	Yes (III) M		717EXS00220E
KPZ 717EXN	600 kg	200 g	No		717EXN000600
KPZ 717EXN	1500 kg	100/200 g	No		717EXN001500
KPZ 717EXN	2200 kg	100/200 g	No		717EXN002000
KPZ 717EXNE	600 kg	100/200 g	Yes (III) M		717EXN00060E
KPZ 717EXNE	1500 kg	100/200 g	Yes (III) M		717EXN00150E
KPZ 717EXNE	2200 kg	100/200 g	Yes (III) M		717EXN00200E

Weights & measures certification (extra charge)

KPZ Factory first certification from 550 kg up to 3.000 kg	300PL0003000
------------------------------------------------------------	--------------

Packing dimension

Type	Packing dimension
KPZ 71	153 x 65 x 125 cm, ca. 160 kg

other hazard classes on request



Electronic –
 Hydraulic version



Scale for Coil's

Stainless steel, IP 67/68/ 69K



KPZ-Waagen Indicator

